

Appendix 1: Transaction Set-XML Format

```
<transaction>
  <header1>
    <customer>
      <ein-ssn></ein-ssn>
      <company>
        <company_name></company_name>
        <EIN></EIN>
        <NAICS></NAICS>
        <address>
          <addresstype></addresstype>
          <address1></address1>
          <address2></address2>
          <city></city>
          <state></state>
          <zip></zip>
          <country></country>
        </address>
        <phone>
          <phonetype></phonetype>
          <phoneprefix></phoneprefix>
          <phonenumber></phonenumber>
          <phoneextension></phoneextension>
        </phone>
        <URI>
          <URIType></URIType>
          <URIaddress></URIaddress>
        </URI>
      </company>
      <contact_name></contact_name>
      <address>
        <addresstype></addresstype>
        <address1></address1>
        <address2></address2>
        <city></city>
        <state></state>
        <zip></zip>
        <country></country>
      </address>
      <phone>
        <phonetype></phonetype>
        <phoneprefix></phoneprefix>
        <phonenumber></phonenumber>
        <phoneextension></phoneextension>
      </phone>
      <URI>
        <URIType></URIType>
        <URIaddress></URIaddress>
      </URI>
    </customer>
```

```
<agent>
  <company>
    <company_name></company_name>
    <EIN></EIN>
    <NAICS></NAICS>
    <address>
      <addresstype></addresstype>
      <address1></address1>
      <address2></address2>
      <city></city>
      <state></state>
      <zip></zip>
      <country></country>
    </address>
    <phone>
      <phonetype></phonetype>
      <phoneprefix></phoneprefix>
      <phonenumber></phonenumber>
      <phoneextension></phoneextension>
    </phone>
    <URI>
      <URIType></URIType>
      <URIAddress></URIAddress>
    </URI>
  </company>
  <contact_name>
  <address>
    <addresstype></addresstype>
    <address1></address1>
    <address2 ></address2>
    <city></city>
    <state></state>
    <zip></zip>
    <country></country>
  </address>
  <phone>
    <phonetype></phonetype>
    <phoneprefix></phoneprefix>
    <phonenumber></phonenumber>
    <phoneextension></phoneextension>
  </phone>
  <URI>
    <URIType></URIType>
    <URIAddress></URIAddress>
  </URI>
</agent>
```

```
<software>
  <name></name>
  <version></version>
  <regkey></regkey>
  <authkey></authkey>
  <company></company>
  <contact></contact>
  <address1></address1>
  <address2></address2>
  <city></city>
  <state></state>
  <zip></zip>
  <phone></phone>
  <fax></fax>
  <email></email>
  <website></website>
</software>
<transaction_header>
  <file_creation_date></file_creation_date>
  <file_created_by></file_created_by>
  <test-production></test-production>
  <filename></filename>
  <encryptioncode></encryptioncode>
</transaction_header>
</header1>
<header2>
  <message>
    <messagetype></messagetype>
    <messagetext></messagetext>
  </message>
</header2>
<account>
  <header>
    <account_number></account_number>
    <accountid></accountid>
    <start_date></start_date>
    <end_date></end_date>
    <engine_auth_code></engine_auth_code>
    <account_type></account_type>
  </header>
  <message>
    <messagetype></messagetype>
    <messagetext></messagetext>
  </message>
```

```
<euap>
  <person>
    <preferred_name></preferred_name>
    <phone>
      <phonetype></phonetype>
      <phoneprefix></phoneprefix>
      <phonenumber></phonenumber>
      <phoneextension></phoneextension>
    </phone>
    <URI>
      <URIType></URIType>
      <URIAddress></URIAddress>
    </person>
    <priority_code></priority_code>
    <login_name><login_name>
    <login_password></login_password>
    <beginning_date></beginning_date>
    <endingdate></endingdate>
    <session_length></session_length>
    <timeout></timeout>
  </euap>
</account>
<trailer>
  <total_account></totalaccount>
  <total_euap></total_euap>
  <total_all></total_all>
</trailer>
</transaction>
```